

178.galgel

Datasets profile vs. Reference Dataset

The following are the profiles for the 178.galgel benchmark. For more details about our profile development and dataset reduction methodology, refer to the paper by AJ KleinOsowski and David J. Lilja, "MinneSPEC: A New SPEC Benchmark Workload for Simulation-Based Computer Architecture Research", Computer Architecture Letters, Volume 1, June 2002. This paper is available in electronic form at <http://www.arctic.umn.edu/~lilja/minnespec/index.html>



[http:// www.arctic.umn.edu](http://www.arctic.umn.edu)

Function level execution profile at optimization level O0

The following table contains function execution profiles and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets as compared to the full SPEC reference datasets. This data was gathered with the hiprof profiling utility. *90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall execution time spent in the stated function (in the Function column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi are the terms of the chi-squared statistic for the stated function (in the function column).

Function	Ref	Train	Train Chi	Test	Test Chi	LgRed	LgRed Chi	MdRed	MdRed Chi	SmRed	SmRed Chi
sysnsn_	34.30	33.70	0.01	23.50	3.40	22.80	3.86	22.80	3.86	19.20	6.65
syshtn_	29.20	28.60	0.01	20.00	2.90	20.60	2.53	21.00	2.30	14.50	7.40
dgemm_	12.00	9.90	0.37	8.10	1.27		12.00		12.00		12.00
dger_	6.40	7.30	0.13	14.50	10.25	22.80	42.03	21.50	35.63	16.30	15.31
dgemv_	6.30	6.30	0.00	10.00	2.17	9.20	1.33	6.60	0.01	5.80	0.04
dlarfx_	4.70	5.50	0.14	10.60	7.41	8.70	3.40		4.70		4.70
zgemm_	2.10	1.70	0.08	1.20	0.39		2.10		2.10		2.10
bifg21_	1.30	1.30	0.00	0.80	0.19	1.00	0.07	1.20	0.01	0.00	1.30
dtrsm_	1.10	2.10	0.91	4.90	13.13	1.00	0.01	1.80	0.45	4.70	11.78
bifoag_	0.80	0.80	0.00	0.50	0.11	0.70	0.01	0.70	0.01	0.60	0.05
dhseqr_	0.40	0.40	0.00	0.80	0.40	0.50	0.03	0.00	0.40	0.60	0.10
tempbt_	0.20	0.20	0.00	0.20	0.00	0.30	0.05	0.30	0.05	0.60	0.80
ztrsm_	0.20	0.40	0.20	0.70	1.25	0.50	0.45	0.50	0.45	0.60	0.80
zgeru_	0.10	0.30	0.40	0.80	4.90	2.50	57.60	2.50	57.60	1.20	12.10
diffun_	0.10	0.30	0.40	0.30	0.40	0.80	4.90	0.90	6.40	0.00	0.10
farhim_	0.10	0.10	0.00	0.00	0.10	0.10	0.00	0.10	0.00	0.00	0.10
sysnsl_	0.10	0.10	0.00	0.00	0.10	0.10	0.00	0.00	0.10	0.00	0.10
syshtl_	0.10	0.10	0.00	0.00	0.10	0.10	0.00	0.00	0.10	0.00	0.10
dgebal_	0.10	0.20	0.10	0.40	0.90	0.90	6.40	0.80	4.90	2.30	48.40
Sum	99.60	99.30	2.74	97.30	49.37	92.60	136.77	80.70	131.06	66.40	123.93
	Ref	Train	Train Chi	Test	Test Chi	LgRed	LgRed Chi	MdRed	MdRed Chi	SmRed	SmRed Chi

90% Confidence level (19 entries) = 25.989

Function level execution profile at optimization level O1

The following table contains function execution profiles and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets as compared to the full SPEC reference datasets. This data was gathered with the hiprof profiling utility. *90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall execution time spent in the stated function (in the Function column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi are the terms of the chi-squared statistic for the stated function (in the function column).

Function	Ref	Train	Train Chi	Test	Test Chi	LgRed	LgRed Chi	MdRed	MdRed Chi	SmRed	SmRed Chi
sysnsn_	33.50	33.50	0.00	22.90	3.35	22.60	3.55	21.00	4.66	18.50	6.72
syshtn_	32.70	30.90	0.10	21.70	3.70	21.00	4.19	20.20	4.78	21.00	4.19
dgemm_	12.00	10.10	0.30	9.30	0.61		12.00		12.00		12.00
dger_	8.00	10.00	0.50	21.90	24.15	32.70	76.26	30.80	64.98	24.20	32.81
dgemv_	4.60	4.60	0.00	7.90	2.37	6.80	1.05	5.00	0.03	2.40	1.05
zgemm_	2.60	2.20	0.06	1.60	0.38		2.60		2.60		2.60
dlarfx_	2.10	2.10	0.00	3.40	0.80	2.00	0.00		2.10		2.10
bifg21_	1.30	1.30	0.00	0.90	0.12	1.00	0.07	1.00	0.07	0.80	0.19
dtrsm_	0.90	1.80	0.90	4.60	15.21	0.80	0.01	1.20	0.10	0.80	0.01
bifoag_	0.80	0.80	0.00	0.50	0.11	0.60	0.05	0.70	0.01	0.00	0.80
tempbt_	0.30	0.30	0.00	0.20	0.03	0.30	0.00	0.20	0.03	0.00	0.30
ztrsm_	0.20	0.40	0.20	0.90	2.45	0.40	0.20	0.50	0.45	1.60	9.80
dhseqr_	0.10	0.20	0.10	0.40	0.90	0.40	0.90	0.00	0.10	0.00	0.10
diffun_	0.10	0.30	0.40	0.40	0.90	0.60	2.50	1.90	32.40	0.80	4.90
zgeru_	0.10	0.30	0.40	0.80	4.90	3.00	84.10	2.60	62.50	1.60	22.50
syshtl_	0.10	0.10	0.00	0.00	0.10	0.00	0.10	0.00	0.10	0.00	0.10
sysnsl_	0.10	0.10	0.00	0.10	0.00	0.10	0.00	0.00	0.10	0.00	0.10
farhim_	0.10	0.10	0.00	0.00	0.10	0.10	0.00	0.20	0.10	0.00	0.10
dgebal_	0.10	0.20	0.10	0.60	2.50	1.50	19.60	1.20	12.10	2.40	52.90
dswap_	0.10	0.10	0.00	0.20	0.10	0.40	0.90	0.30	0.40	1.60	22.50
Sum	99.80	99.40	3.06	98.30	62.80	94.30	208.08	86.80	199.62	75.70	175.76
	Ref	Train	Train Chi	Test	Test Chi	LgRed	LgRed Chi	MdRed	MdRed Chi	SmRed	SmRed Chi

90% Confidence level (20 entries) = 27.204

Function level execution profile at optimization level O2

The following table contains function execution profiles and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets as compared to the full SPEC reference datasets. This data was gathered with the hiprof profiling utility. *90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall execution time spent in the stated function (in the Function column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi are the terms of the chi-squared statistic for the stated function (in the function column).

Function	Ref	Train	Train Chi	Test	Test Chi	LgRed	LgRed Chi	MdRed	MdRed Chi	SmRed	SmRed Chi
sysnsn_	44.30	45.30	0.02	31.70	3.58	30.70	4.18	30.20	4.49	16.20	17.82
syshtn_	39.70	38.40	0.04	33.10	1.10	32.30	1.38	31.50	1.69	18.90	10.90
dger_	2.90	2.30	0.12	6.50	4.47	7.30	6.68	6.70	4.98	2.70	0.01
dlarfx_	2.90	3.00	0.00	8.60	11.20	6.20	3.76		2.90		2.90
dgemm_	2.60	3.00	0.06	2.40	0.02		2.60		2.60		2.60
dgemv_	2.20	1.40	0.29	3.90	1.31	2.70	0.11	4.70	2.84	2.70	0.11
bifg21_	1.60	1.60	0.00	1.50	0.01	1.10	0.16	1.30	0.06	0.00	1.60
bifoag_	0.90	0.90	0.00	1.00	0.01	0.80	0.01	0.70	0.04	0.00	0.90
zgemm_	0.90	0.90	0.00	0.80	0.01		0.90		0.90		0.90
dtrsm_	0.40	0.90	0.63	3.20	19.60	0.80	0.40	2.00	6.40	2.70	13.23
tempbt_	0.20	0.20	0.00	0.20	0.00	0.00	0.20	0.00	0.20	0.00	0.20
diffun_	0.20	0.50	0.45	0.90	2.45	1.90	14.45	0.70	1.25	0.00	0.20
syshtl_	0.20	0.20	0.00	0.10	0.05	0.30	0.05	0.00	0.20	0.00	0.20
sysnsl_	0.20	0.20	0.00	0.10	0.05	0.00	0.20	0.00	0.20	0.00	0.20
farhim_	0.20	0.20	0.00	0.10	0.05	0.30	0.05	0.00	0.20	0.00	0.20
dhseqr_	0.20	0.10	0.05	0.60	0.80	0.30	0.05	0.00	0.20	0.00	0.20
ztrsm_	0.10	0.20	0.10	0.70	3.60	0.80	4.90	0.70	3.60	0.00	0.10
dgebal_	0.10	0.10	0.00	0.30	0.40	0.30	0.40	0.00	0.10	0.00	0.10
dswap_	0.10	0.10	0.00	0.30	0.40	0.30	0.40	0.00	0.10	0.00	0.10
zgeru_	0.10	0.20	0.10	0.80	4.90	3.30	102.40	1.30	14.40	2.70	67.60
Sum	100.00	99.70	1.87	96.80	54.01	89.40	143.27	79.80	47.35	45.90	120.07
	Ref	Train	Train Chi	Test	Test Chi	LgRed	LgRed Chi	MdRed	MdRed Chi	SmRed	SmRed Chi

90% Confidence level (20 entries) = 27.204

Function level execution profile at optimization level O3

The following table contains function execution profiles and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets as compared to the full SPEC reference datasets. This data was gathered with the hiprof profiling utility. *90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall execution time spent in the stated function (in the Function column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi are the terms of the chi-squared statistic for the stated function (in the function column).

Function	Ref	Train	Train Chi	Test	Test Chi	LgRed	LgRed Chi	MdRed	MdRed Chi	SmRed	SmRed Chi
sysnsn_	45.60	45.00	0.01	32.50	3.76	32.00	4.06	25.30	9.04	27.00	7.59
syshtn_	41.50	41.70	0.00	35.00	1.02	34.80	1.08	38.00	0.30	21.60	9.54
dlarfx_	3.20	3.40	0.01	10.30	15.75	6.70	3.83		3.20		3.20
dgemm_	1.90	1.50	0.08	2.40	0.13		1.90		1.90		1.90
bifg21_	1.60	1.60	0.00	1.30	0.06	1.10	0.16	1.30	0.06	0.00	1.60
dger_	1.50	1.40	0.01	4.80	7.26	5.30	9.63	5.30	9.63	2.70	0.96
dgemv_	1.30	1.00	0.07	3.60	4.07	3.30	3.08	2.00	0.38	0.00	1.30
bifoag_	0.90	0.90	0.00	0.70	0.04	0.80	0.01	0.70	0.04	0.00	0.90
zgemm_	0.60	0.50	0.02	0.70	0.02		0.60		0.60		0.60
tempbt_	0.30	0.30	0.00	0.20	0.03	0.60	0.30	0.00	0.30	0.00	0.30
farhim_	0.20	0.20	0.00	0.10	0.05	0.00	0.20	0.00	0.20	0.00	0.20
sysnsl_	0.20	0.20	0.00	0.10	0.05	0.30	0.05	0.00	0.20	0.00	0.20
syshtl_	0.20	0.20	0.00	0.10	0.05	0.30	0.05	0.00	0.20	0.00	0.20
diffun_	0.20	0.50	0.45	0.70	1.25	1.90	14.45	3.30	48.05	5.40	135.20
dtrsm_	0.20	0.40	0.20	1.70	11.25	0.30	0.05	0.00	0.20	0.00	0.20
dhseqr_	0.10	0.10	0.00	0.50	1.60	0.00	0.10	0.00	0.10	0.00	0.10
dgebal_	0.10	0.10	0.00	0.20	0.10	0.30	0.40	0.00	0.10	0.00	0.10
dswap_	0.10	0.10	0.00	0.20	0.10	0.30	0.40	0.00	0.10	0.00	0.10
ztrsm_	0.10	0.10	0.00	0.70	3.60	0.00	0.10	0.00	0.10	0.00	0.10
Sum	99.80	99.20	0.85	95.80	50.20	88.00	40.44	75.90	74.69	56.70	164.29
	Ref	Train	Train Chi	Test	Test Chi	LgRed	LgRed Chi	MdRed	MdRed Chi	SmRed	SmRed Chi

90% Confidence level (19 entries) = 25.989

Function level execution profile at optimization level O4

The following table contains function execution profiles and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets as compared to the full SPEC reference datasets. This data was gathered with the hiprof profiling utility. *90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall execution time spent in the stated function (in the Function column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi are the terms of the chi-squared statistic for the stated function (in the function column).

Function	Ref	Train	Train Chi	Test	Test Chi	LgRed	LgRed Chi	MdRed	MdRed Chi	SmRed	SmRed Chi
sysnsn_	49.70	50.40	0.01	49.40	0.00	52.50	0.16	48.30	0.04	43.40	0.80
syshtn_	38.30	37.90	0.00	29.40	2.07	30.40	1.63	29.40	2.07	19.30	9.43
dlarfx_	3.00	2.90	0.00	6.60	4.32	3.50	0.08		3.00		3.00
bifg21_	1.70	1.70	0.00	1.30	0.09	1.50	0.02	1.50	0.02	1.20	0.15
dgemm_	1.50	1.10	0.11	1.20	0.06		1.50		1.50		1.50
dger_	1.40	1.20	0.03	2.80	1.40	3.80	4.11	3.00	1.83	0.00	1.40
dgemv_	1.20	0.80	0.13	2.10	0.68	1.10	0.01	0.70	0.21	0.00	1.20
bifoag_	0.90	1.00	0.01	1.00	0.01	1.20	0.10	1.10	0.04	1.20	0.10
zgemm_	0.50	0.40	0.02	0.40	0.02		0.50		0.50		0.50
tempbt_	0.30	0.30	0.00	0.20	0.03	0.20	0.03	0.40	0.03	0.00	0.30
farhim_	0.20	0.20	0.00	0.10	0.05	0.20	0.00	0.00	0.20	0.00	0.20
sysnsl_	0.20	0.20	0.00	0.10	0.05	0.20	0.00	0.40	0.20	0.00	0.20
syshtl_	0.20	0.20	0.00	0.10	0.05	0.20	0.00	0.40	0.20	0.00	0.20
diffun_	0.20	0.40	0.20	0.50	0.45	0.20	0.00	2.20	20.00	3.60	57.80
dtrsm_	0.20	0.30	0.05	1.00	3.20	0.30	0.05	0.40	0.20	0.00	0.20
dhseqr_	0.10	0.10	0.00	0.40	0.90	0.20	0.10	0.00	0.10	0.00	0.10
dgebal_	0.10	0.10	0.00	0.20	0.10	0.20	0.10	0.00	0.10	2.40	52.90
dswap_	0.10	0.10	0.00	0.20	0.10	0.20	0.10	0.00	0.10	0.00	0.10
ztrsm_	0.10	0.10	0.00	0.30	0.40	0.20	0.10	0.40	0.90	0.00	0.10
Sum	99.90	99.40	0.57	97.30	13.98	96.10	8.60	88.20	31.25	71.10	130.17
	Ref	Train	Train Chi	Test	Test Chi	LgRed	LgRed Chi	MdRed	MdRed Chi	SmRed	SmRed Chi

90% Confidence level (19 entries) = 25.989

Instruction Mix profile at optimization level o0

The following table contains instruction mix breakdown and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets, as compared to the full SPEC dataset. This data was gathered with the sim-profile simulator for the SimpleScalar suite. *90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall instructions of the stated instruction type (in the Inst Type column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi columns are the terms of the chi-squared statistic for the stated instruction type (in the Inst Type column).

178.galgel

O0 Program	Ref	Train	Train	Test	Test	Lgred	Lgred	Mdred	Mdred	Smred	Smred
Inst Type			Chi		Chi		Chi		Chi		Chi
load	43.07	43.13	0.00	43.37	0.00	42.67	0.00	42.33	0.01	42.42	0.01
store	4.07	4.09	0.00	4.18	0.00	4.34	0.02	4.38	0.02	5.12	0.27
unconditional branch	0.41	0.41	0.00	0.42	0.00	0.50	0.02	0.55	0.05	0.75	0.28
conditional branch	1.93	1.96	0.00	1.99	0.00	2.25	0.05	2.35	0.09	2.82	0.41
int computation	45.17	45.04	0.00	44.62	0.01	44.64	0.01	44.93	0.00	43.43	0.07
fp computation	5.34	5.38	0.00	5.42	0.00	5.60	0.01	5.46	0.00	5.47	0.00
trap	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sum	99.99	100.01	0.00	100.00	0.02	100.00	0.11	100.00	0.18	100.01	1.04
	Ref	Train	Train	Test	Test	Lgred	Lgred	Mdred	Mdred	Smred	Smred
			Chi		Chi		Chi		Chi		Chi

90% Confidence level (7 entries) = 10.645

178.galgel

Instruction Mix profile at optimization level o1

The following table contains instruction mix breakdown and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets, as compared to the full SPEC dataset. This data was gathered with the sim-profile simulator for the SimpleScalar suite. *90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall instructions of the stated instruction type (in the Inst Type column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi columns are the terms of the chi-squared statistic for the stated instruction type (in the Inst Type column).

178.galgel

O1 Program Inst Type	Ref	Train	Train Chi	Test	Test Chi	Lgred	Lgred Chi	Mdred	Mdred Chi	Smred	Smred Chi
load	26.69	26.57	0.00	26.44	0.00	26.05	0.02	25.72	0.04	25.63	0.04
store	4.81	4.94	0.00	5.26	0.04	5.55	0.11	5.59	0.13	6.78	0.81
unconditional branch	0.66	0.67	0.00	0.70	0.00	0.80	0.03	0.87	0.07	1.14	0.35
conditional branch	3.07	3.12	0.00	3.24	0.01	3.45	0.05	3.57	0.08	4.17	0.39
int computation	56.11	55.88	0.00	55.19	0.02	55.02	0.02	55.49	0.01	53.30	0.14
fp computation	8.66	8.82	0.00	9.17	0.03	9.12	0.02	8.76	0.00	8.98	0.01
trap	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sum	100.00	100.00	0.01	100.00	0.10	99.99	0.25	100.00	0.32	100.00	1.74
	Ref	Train	Train Chi	Test	Test Chi	Lgred	Lgred Chi	Mdred	Mdred Chi	Smred	Smred Chi

90% Confidence level (7 entries) = 10.645

178.galgel

Instruction Mix profile at optimization level o2

The following table contains instruction mix breakdown and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets, as compared to the full SPEC dataset. This data was gathered with the sim-profile simulator for the SimpleScalar suite. *90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall instructions of the stated instruction type (in the Inst Type column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi columns are the terms of the chi-squared statistic for the stated instruction type (in the Inst Type column).

178.galgel

O2 Program Inst Type	Ref	Train	Train Chi	Test	Test Chi	Lgred	Lgred Chi	Mdred	Mdred Chi	Smred	Smred Chi
load	20.63	20.67	0.00	20.71	0.00	20.44	0.00	20.37	0.00	20.48	0.00
store	9.34	9.28	0.00	9.27	0.00	9.01	0.01	8.88	0.02	8.58	0.06
unconditional branch	0.01	0.03	0.04	0.08	0.49	0.21	4.00	0.29	7.84	0.85	70.56
conditional branch	8.94	8.87	0.00	8.79	0.00	8.81	0.00	8.99	0.00	8.87	0.00
int computation	35.93	36.14	0.00	36.29	0.00	38.09	0.13	39.10	0.28	41.71	0.93
fp computation	25.15	25.01	0.00	24.87	0.00	23.44	0.12	22.37	0.31	19.50	1.27
trap	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sum	100.00	100.00	0.04	100.01	0.50	100.00	4.26	100.00	8.45	99.99	72.82
	Ref	Train	Train Chi	Test	Test Chi	Lgred	Lgred Chi	Mdred	Mdred Chi	Smred	Smred Chi

90% Confidence level (7 entries) = 10.645

178.galgel

Instruction Mix profile at optimization level o3

The following table contains instruction mix breakdown and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets, as compared to the full SPEC dataset. This data was gathered with the sim-profile simulator for the SimpleScalar suite. *90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall instructions of the stated instruction type (in the Inst Type column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi columns are the terms of the chi-squared statistic for the stated instruction type (in the Inst Type column).

178.galgel

O3 Program											
Inst Type	Ref	Train	Train Chi	Test	Test Chi	Lgred	Lgred Chi	Mdred	Mdred Chi	Smred	Smred Chi
load	38.91	39.93	0.03	36.73	0.12	36.25	0.18	35.62	0.28	27.83	3.16
store	7.59	7.60	0.00	7.72	0.00	7.51	0.00	7.34	0.01	7.51	0.00
unconditional branch	0.01	0.03	0.04	0.09	0.64	0.24	5.29	0.34	10.89	0.93	84.64
conditional branch	4.10	4.08	0.00	4.95	0.18	5.77	0.68	6.32	1.20	8.30	4.30
int computation	16.85	16.06	0.04	19.22	0.33	21.34	1.20	23.06	2.29	33.35	16.16
fp computation	32.54	32.29	0.00	31.28	0.05	28.89	0.41	27.32	0.84	22.07	3.37
trap	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sum	100.00	99.99	0.11	99.99	1.32	100.00	7.76	100.00	15.50	99.99	111.62
	Ref	Train	Train Chi	Test	Test Chi	Lgred	Lgred Chi	Mdred	Mdred Chi	Smred	Smred Chi

90% Confidence level (7 entries) = 10.645

178.galgel

Instruction Mix profile at optimization level o4

The following table contains instruction mix breakdown and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets, as compared to the full SPEC dataset. This data was gathered with the sim-profile simulator for the SimpleScalar suite. *90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall instructions of the stated instruction type (in the Inst Type column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi columns are the terms of the chi-squared statistic for the stated instruction type (in the Inst Type column).

178.galgel


O4 Program Inst Type	Ref	Train	Train Chi	Test	Test Chi	Lgred	Lgred Chi	Mdred	Mdred Chi	Smred	Smred Chi
load	42.43	39.93	0.15	36.73	0.77	36.26	0.90	35.63	1.09	27.85	5.01
store	7.07	7.60	0.04	7.72	0.06	7.51	0.03	7.34	0.01	7.52	0.03
unconditional branch	0.01	0.03	0.04	0.09	0.64	0.23	4.84	0.33	10.24	0.90	79.21
conditional branch	2.78	4.08	0.61	4.95	1.69	5.77	3.22	6.32	4.51	8.33	11.08
int computation	14.02	16.06	0.30	19.22	1.93	21.32	3.80	23.02	5.78	33.26	26.40
fp computation	33.68	32.29	0.06	31.29	0.17	28.91	0.68	27.35	1.19	22.14	3.95
trap	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sum	99.99	99.99	1.19	100.00	5.26	100.00	13.46	99.99	22.82	100.00	125.69
	Ref	Train	Train Chi	Test	Test Chi	Lgred	Lgred Chi	Mdred	Mdred Chi	Smred	Smred Chi

90% Confidence level (7 entries) = 10.645

178.galgel

Cache profile

The following chart shows level 1 data cache miss rates for the Ref, Train, Test, LgRed, MdRed, and SmRed datasets. This data was gathered with the sim-cache simulator from the SimpleScalar suite. Miss rate is stated as the ratio of level 1 misses to total level 1 accesses.



Instruction Counts for all Datasets

The following table shows the instruction counts and estimated simulation time for the reference (Ref), train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets. Instruction counts are from the simulated benchmark, compiled at optimization level O0 and run with each input dataset. Estimated simulation times are calculated using a 45,000 instructions per second factor. This factor was determined by observing the simulation rate of a simulator similar to sim-outorder, run on a machine similar to the SPEC 2000 reference machine (a 333 Mhz Sparc).

	<u>Ref</u>	<u>Train</u>	<u>Test</u>	<u>LgRed</u>	<u>MdRed</u>	<u>SmRed</u>
Instruction Count						
(in millions)	2022004	174615	20534	1488	584	121
Simulation Time						
(in hours)	12481.5	1077.9	126.8	9.2	3.6	0.7