## 172.mgrid

## **Datasets profile vs. Reference Dataset**

The following are the profiles for the 172.mgrid benchmark. For more details about our profile development and dataset reduction methodology, refer to the paper by AJ KleinOsowski and David J. Lilja, "MinneSPEC: A New SPEC Benchmark Workload for Simulation—Based Computer Architecture Research", Computer Architecture Letters, Volume 1, June 2002. This paper is available in electronic form at http://www.arctic.umn.edu/~lilja/minnespec/index.html



http://www.arctic.umn.edu

The following table contains function execution profiles and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets as compared to the full SPEC reference datasets. This data was gathered with the hiprof profiling utility. \*90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall execution time spent in the stated function (in the Function column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi are the terms of the chi-squared statistic for the stated function (in the function column).

	Ref	Train	Train	Test	Test	LgRed	LgRed	MdRed	MdRed	SmRed	SmRed
Function			Chi		Chi		Chi		Chi		Chi
resid_	58.10	58.00	0.00	58.10	0.00	57.30	0.01	57.50	0.01	54.70	0.20
psinv_	30.00	30.10	0.00	30.00	0.00	29.60	0.01	28.80	0.05	28.50	0.08
interp_	6.60	6.50	0.00	6.60	0.00	6.00	0.05	5.90	0.07	5.10	0.34
rprj3_	4.20	3.80	0.04	4.20	0.00	3.50	0.12	3.50	0.12	4.30	0.00
comm3_	0.70	1.20	0.36	0.70	0.00	2.40	4.13	2.50	4.63	4.70	22.86
zero3_	0.20	0.20	0.00	0.20	0.00	0.20	0.00	0.50	0.45	0.40	0.20
norm2u3_	0.10	0.10	0.00	0.10	0.00	0.30	0.40	0.60	2.50	0.00	0.10
~			0.40								
Sum	99.90	99.90	0.40	99.90	0.00	99.30	4.72	99.30	7.82	97.70	23.77
	Ref	Train	Train	Test	Test	LgRed	LgRed	MdRed	MdRed	SmRed	SmRed
			Chi		Chi	-	Chi		Chi		Chi

The following table contains function execution profiles and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets as compared to the full SPEC reference datasets. This data was gathered with the hiprof profiling utility. \*90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall execution time spent in the stated function (in the Function column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi are the terms of the chi-squared statistic for the stated function (in the function column).

	Ref	Train	Train	Test	Test	LgRed	LgRed	MdRed	MdRed	SmRed	SmRed
Function			Chi		Chi		Chi		Chi		Chi
resid_	49.50	49.70	0.00	49.50	0.00	47.90	0.05	46.40	0.19	50.90	0.04
psinv_	25.80	25.70	0.00	25.80	0.00	23.90	0.14	23.20	0.26	14.00	5.40
interp_	14.10	14.30	0.00	14.10	0.00	14.10	0.00	12.50	0.18	14.00	0.00
rprj3_	5.70	3.80	0.63	5.70	0.00	2.80	1.48	3.10	1.19	0.00	5.70
comm3_	2.20	3.20	0.45	2.20	0.00	5.60	5.25	4.90	3.31	1.80	0.07
zero3_	1.90	2.30	0.08	1.90	0.00	2.80	0.43	3.10	0.76	7.00	13.69
norm2u3_	0.60	0.50	0.02	0.60	0.00	1.40	1.07	2.20	4.27	1.80	2.40
zran3_	0.20	0.20	0.00	0.20	0.00	0.50	0.45	1.30	6.05	1.80	12.80
Sum	100.00	99.70	1.19	100.00	0.00	99.00	8.86	96.70	16.21	91.30	40.10
	Ref	Train	Train	Test	Test	LgRed	LgRed	MdRed	MdRed	SmRed	SmRed
			Chi		Chi	-	Chi		Chi		Chi

The following table contains function execution profiles and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets as compared to the full SPEC reference datasets. This data was gathered with the hiprof profiling utility. \*90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall execution time spent in the stated function (in the Function column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi are the terms of the chi-squared statistic for the stated function (in the function column).

	Ref	Train	Train	Test	Test	LgRed	LgRed	MdRed	MdRed	SmRed	SmRed
Function			Chi		Chi		Chi		Chi		Chi
resid_	56.00	55.60	0.00	56.10	0.00	51.40	0.38	53.30	0.13	37.00	6.45
psinv_	26.80	27.90	0.05	26.80	0.00	29.10	0.20	21.70	0.97	29.60	0.29
interp_	7.90	8.20	0.01	7.90	0.00	3.40	2.56	9.80	0.46	7.40	0.03
rprj3_	6.60	4.20	0.87	6.60	0.00	3.90	1.10	2.20	2.93	7.40	0.10
comm3_	1.80	2.60	0.36	1.70	0.01	5.60	8.02	7.60	18.69	0.00	1.80
zero3_	0.50	0.60	0.02	0.50	0.00	0.60	0.02	1.10	0.72	0.00	0.50
norm2u3_	0.30	0.20	0.03	0.30	0.00	0.60	0.30	2.20	12.03	0.00	0.30
zran3_	0.10	0.10	0.00	0.00	0.10	0.00	0.10	0.00	0.10	0.00	0.10
Sum	100.00	99.40	1.34	99.90	0.11	94.60	12.69	97.90	36.03	81.40	9.57
Sum	Ref	Train	Train	Test					MdRed		,
			Chi		Chi		Chi		Chi		Chi

The following table contains function execution profiles and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets as compared to the full SPEC reference datasets. This data was gathered with the hiprof profiling utility. \*90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall execution time spent in the stated function (in the Function column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi are the terms of the chi-squared statistic for the stated function (in the function column).

	Ref	Train	Train	Test	Test	LgRed	LgRed	MdRed	MdRed	SmRed	SmRed
Function			Chi		Chi		Chi		Chi		Chi
resid_	59.50	52.90	0.73	59.50	0.00	54.00	0.51	50.70	1.30	40.70	5.94
psinv_	21.10	25.90	1.09	21.10	0.00	22.60	0.11	24.00	0.40	7.40	8.90
interp_	9.20	9.20	0.00	9.20	0.00	5.10	1.83	4.00	2.94	11.10	0.39
rprj3_	5.30	4.60	0.09	5.30	0.00	3.60	0.55	2.70	1.28	3.70	0.48
comm3_	3.00	4.60	0.85	3.00	0.00	6.60	4.32	5.30	1.76	0.00	3.00
zero3_	0.90	1.30	0.18	0.90	0.00	0.00	0.90	1.30	0.18	0.00	0.90
norm2u3_	0.60	0.40	0.07	0.60	0.00	0.00	0.60	2.70	7.35	0.00	0.60
zran3_	0.10	0.20	0.10	0.10	0.00	0.70	3.60	1.30	14.40	0.00	0.10
write	0.10	0.30	0.40	0.10	0.00	2.20	44.10	1.30	14.40	7.40	532.90
Sum	99.80	99.40	3.51	99.80	0.00	94.80	56.51	93.30	44.01	70.30	553.21
	Ref	Train	Train	Test	Test	LgRed	LgRed	MdRed	MdRed	SmRed	SmRed
			Chi		Chi	C	Chi		Chi		Chi

The following table contains function execution profiles and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets as compared to the full SPEC reference datasets. This data was gathered with the hiprof profiling utility. \*90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall execution time spent in the stated function (in the Function column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi are the terms of the chi-squared statistic for the stated function (in the function column).

	Ref	Train	Train	Test	Test	LgRed	LgRed	MdRed	MdRed	SmRed	SmRed
Function			Chi		Chi		Chi		Chi		Chi
resid_	58.50	53.40	0.44	58.60	0.00	54.00	0.35	51.30	0.89	52.60	0.60
psinv_	21.70	25.70	0.74	21.70	0.00	22.60	0.04	21.10	0.02	10.50	5.78
interp_	9.40	9.10	0.01	9.40	0.00	6.60	0.83	3.90	3.22	10.50	0.13
rprj3_	5.40	4.50	0.15	5.40	0.00	1.50	2.82	3.90	0.42	0.00	5.40
comm3_	3.10	4.50	0.63	3.10	0.00	5.10	1.29	5.30	1.56	0.00	3.10
zero3_	0.90	1.40	0.28	0.90	0.00	1.50	0.40	1.30	0.18	0.00	0.90
norm2u3_	0.60	0.40	0.07	0.60	0.00	0.70	0.02	0.00	0.60	0.00	0.60
zran3_	0.10	0.20	0.10	0.10	0.00	1.50	19.60	2.60	62.50	0.00	0.10
write	0.10	0.40	0.90	0.10	0.00	2.20	44.10	3.90	144.40	10.50	1081.60
Sum	99.80	99.60	3.32	99.90	0.00	95.70	69.44	93.30	213.78	84.10	1098.20
	Ref	Train	Train	Test	Test	LgRed	LgRed	MdRed	MdRed	SmRed	SmRed
			Chi		Chi	Ü	Chi		Chi		Chi

The following table contains instruction mix breakdown and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets, as compared to the full SPEC dataset. This data was gathered with the sim-profile simulator for the SimpleScalar suite. \*90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall instructions of the stated instruction type (in the Inst Type column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi columns are the terms of the chi-squared statistic for the stated instruction type (in the Inst Type column).

172.mgrid

O0 Program											
Inst Type	Ref	Train	Train	Test	Test	Lgred	Lgred	Mdred	Mdred	Smred	Smred
			Chi		Chi		Chi		Chi		Chi
load	44.23	44.23	0.00	44.23	0.00	44.25	0.00	44.27	0.00	44.17	0.00
store	0.57	0.60	0.00	0.57	0.00	0.69	0.03	0.72	0.04	0.88	0.17
unconditional											
branch	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00
conditional											
branch	0.28	0.29	0.00	0.28	0.00	0.34	0.01	0.36	0.02	0.46	0.12
int computation	48.83	48.82	0.00	48.83	0.00	48.73	0.00	48.66	0.00	48.65	0.00
fp computation	6.09	6.06	0.00	6.09	0.00	5.99	0.00	5.98	0.00	5.82	0.01
trap	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sum	100.00	100.00	0.00	100.00	0.00	100.00	0.04	99.99	0.06	100.00	0.30
	Ref	Train	Train	Test	Test	Lgred	Lgred	Mdred	Mdred	Smred	Smred
			Chi		Chi		Chi		Chi		Chi

The following table contains instruction mix breakdown and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets, as compared to the full SPEC dataset. This data was gathered with the sim-profile simulator for the SimpleScalar suite. \*90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall instructions of the stated instruction type (in the Inst Type column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi columns are the terms of the chi-squared statistic for the stated instruction type (in the Inst Type column).

	Ref	Train	Train	Test	Test	LgRed	LgRed	MdRed	MdRed	SmRed S	SmRed
Function			Chi		Chi		Chi		Chi		Chi
resid_	49.50	49.70	0.00	49.50	0.00	47.90	0.05	46.40	0.19	50.90	0.04
psinv_	25.80	25.70	0.00	25.80	0.00	23.90	0.14	23.20	0.26	14.00	5.40
interp_	14.10	14.30	0.00	14.10	0.00	14.10	0.00	12.50	0.18	14.00	0.00
rprj3_	5.70	3.80	0.63	5.70	0.00	2.80	1.48	3.10	1.19	0.00	5.70
comm3_	2.20	3.20	0.45	2.20	0.00	5.60	5.25	4.90	3.31	1.80	0.07
zero3_	1.90	2.30	0.08	1.90	0.00	2.80	0.43	3.10	0.76	7.00	13.69
norm2u3_	0.60	0.50	0.02	0.60	0.00	1.40	1.07	2.20	4.27	1.80	2.40
zran3_	0.20	0.20	0.00	0.20	0.00	0.50	0.45	1.30	6.05	1.80	12.80
C	100.00	99.70	1.19	100.00	0.00	99.00	8.86	06.70	16 21	01.20	40.10
Sum					0.00			,		91.30	40.10
	Ref	Train	Train	Test	Test	LgRed	LgRed	MdRed	MdRed	SmRed S	SmRed
			Chi		Chi		Chi		Chi		Chi

The following table contains instruction mix breakdown and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets, as compared to the full SPEC dataset. This data was gathered with the sim-profile simulator for the SimpleScalar suite. \*90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall instructions of the stated instruction type (in the Inst Type column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi columns are the terms of the chi-squared statistic for the stated instruction type (in the Inst Type column).

172.mgrid

O2 Program											
Inst Type	Ref	Train	Train	Test	Test	Lgred	Lgred	Mdred	Mdred	Smred	Smred
			Chi		Chi		Chi		Chi		Chi
load	37.18	36.94	0.00	37.18	0.00	36.30	0.02	36.12	0.03	34.94	0.13
store	1.83	1.92	0.00	1.83	0.00	2.16	0.06	2.20	0.07	2.80	0.51
unconditional											
branch	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.03	0.00	0.15	0.00
conditional											
branch	1.84	1.90	0.00	1.84	0.00	2.15	0.05	2.28	0.11	2.69	0.39
int computation	18.81	19.32	0.01	18.81	0.00	20.55	0.16	20.72	0.19	23.45	1.14
fp computation	40.34	39.92	0.00	40.34	0.00	38.82	0.06	38.65	0.07	35.96	0.48
trap	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sum	100.00	100.00	0.03	100.00	0.00	100.00	0.35	100.00	0.47	99.99	2.66
	Ref	Train	Train	Test	Test	Lgred	Lgred	Mdred	Mdred	Smred	Smred
			Chi		Chi		Chi		Chi		Chi

The following table contains instruction mix breakdown and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets, as compared to the full SPEC dataset. This data was gathered with the sim-profile simulator for the SimpleScalar suite. \*90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall instructions of the stated instruction type (in the Inst Type column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi columns are the terms of the chi-squared statistic for the stated instruction type (in the Inst Type column).

172.mgrid

O3 Program											
Inst Type	Ref	Train	Train	Test	Test	Lgred	Lgred	Mdred	Mdred	Smred	Smred
			Chi		Chi		Chi		Chi		Chi
load	34.73	34.49	0.00	34.73	0.00	33.85	0.02	33.66	0.03	32.49	0.14
store	2.54	2.71	0.01	2.54	0.00	3.12	0.13	3.17	0.16	4.07	0.92
unconditional											
branch	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.04	0.00	0.20	0.00
conditional											
branch	0.80	0.96	0.03	0.80	0.00	1.42	0.48	1.57	0.74	2.48	3.53
int computation	7.02	7.75	0.08	7.02	0.00	9.56	0.92	9.81	1.11	13.93	6.80
fp computation	54.91	54.08	0.01	54.91	0.00	52.02	0.15	51.75	0.18	46.82	1.19
trap	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sum	100.00	99.99	0.13	100.00	0.00	100.00	1.71	100.00	2.22	99.99	12.59
	Ref	Train	Train	Test	Test	Lgred	Lgred	Mdred	Mdred	Smred	Smred
			Chi		Chi		Chi		Chi		Chi


The following table contains instruction mix breakdown and goodness-of-fit chi-squared statistic values for the train, test, large (LgRed), medium (MdRed), and small (SmRed) reduced datasets, as compared to the full SPEC dataset. This data was gathered with the sim-profile simulator for the SimpleScalar suite. \*90% Conf = Critical value of the chi-squared statistic at the 90 percent confidence level. Numbers in the Ref, Train, Test, LgRed, MdRed, and SmRed columns are the percent of overall instructions of the stated instruction type (in the Inst Type column). Numbers in the Train Chi, Test Chi, LgRed Chi, MdRed Chi, and SmRed Chi columns are the terms of the chi-squared statistic for the stated instruction type (in the Inst Type column).

172.mgrid

O4 Program											
Inst Type	Ref	Train	Train	Test	Test	Lgred	Lgred	Mdred	Mdred	Smred	Smred
			Chi		Chi		Chi		Chi		Chi
load	34.73	34.49	0.00	34.73	0.00	33.85	0.02	33.66	0.03	32.49	0.14
store	2.54	2.71	0.01	2.54	0.00	3.12	0.13	3.17	0.16	4.07	0.92
unconditional											
branch	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.04	0.00	0.20	0.00
conditional											
branch	0.80	0.96	0.03	0.80	0.00	1.42	0.48	1.57	0.74	2.48	3.53
int computation	7.02	7.75	0.08	7.02	0.00	9.56	0.92	9.81	1.11	13.93	6.80
fp computation	54.91	54.08	0.01	54.91	0.00	52.02	0.15	51.75	0.18	46.82	1.19
trap	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sum	100.00	99.99	0.13	100.00	0.00	100.00	1.71	100.00	2.22	99.99	12.59
	Ref	Train	Train	Test	Test	Lgred	Lgred	Mdred	Mdred	Smred	Smred
			Chi		Chi		Chi		Chi		Chi

# Cache profile

The following chart shows level 1 data cache miss rates for the Ref, Train, Test, LgRed, MdRed, and SmRed datasets. This data was gathered with the sim–cache simulator from the SimpleScalar suite. Miss rate is stated as the ratio of level 1 misses to total level 1 accesses.



#### Instruction Counts for all Datasets

The following table shows the instruction counts and estimated simulation time for the reference (Ref), train, test, large (LgRed), medium(MdRed), and small (SmRed) reduced datasets. Instruction counts are from the simulated benchmark, compiled at optimization level O0 and run with each input dataset. Estimated simulation times are calculated using a 45,000 instructions per second factor. This factor was determined by observing the simulation rate of a simulator similar to sim–outorder, run on a machine similar to the SPEC 2000 reference machine (a 333 Mhz Sparc).

	Ref	<u>Train</u>	<u>Test</u>	LgRed	MdRed	SmRed
Instruction Count						
(in millions) Simulation Time	3854847	193747	154194	993	508	120
(in hours)	23795.3	1196.0	951.8	6.1	3.1	0.7